bronchial arch:	ond 7. Secretion of which of the following is not inhibited by Somatostatin?
(A) Platysma	(A) Thyroid stimulating hormones
(B) Anterior belly of diagastric	Tab.
(C) Stylopharyngeus	(C) Coticotropin
(D) Styloglossus	(D) Gonadotropin
2. Lamina propria of stomach	n is 8. Thyroid hormone secretion is
derived from :	facilitated by all Except:
(A) Endoderm	(A) Thyroid stimulating hormones
(B) Ectoderm	The Exploration of the Control of th
(C) Intra embryonic mesoderm	Book of the (C) Pendrin (B. 1988 - 1997)
(D) Extra embryonic mesodern	(0)
The state of the s	(b) thyroglobulin
(A) Striatum spinosum	9. Spermatogenesis is <b>not</b> facilitated
(5) 6114	ne Million (Ana <b>by</b> Milliant apovintarion periodopy) — Rigida.
(0)	(A) Follicular stimulating hormone
(D) Striatum corneum	(B) Testosterone
THE PROPERTY OF THE PROPERTY OF THE PARK	a rangayay <mark>(C). Innibin</mark> kanalan sarawayas, -
4. The temporal pole of the br	ain Acad (D) Leutinizing Hormone 90
consists the product of the second of	10. Renal Counter current mechanism
(A) Olfactory area	helps in maintaining:
(B) Septal area	(A) Maintaining pH
Amegdaloid complex	(B) Maintaining osmolaity
treates and are the control and to	Concentrating urine
5. Corpora arenacea is found in :	(D) Maintaining Plasma volume
(A) Pituitary gland	PARTICLE AND MERCHANISM CONTRACTORS
(B) Adrenal gland	11. Major fluid compartments composi-
(C) Prostate gland	tion analysis revealed that:
(D) Pineal gland	Na <sup>+</sup> Particle (A) the major cell fluid cation is
6. Electroencephalographic (EE	
waves originated from :	G) (B) The major blood plasma cation is K <sup>+</sup>
(A) Dendritic tree	(C) One of the major intracellular
(B) Neuron cell body	anions is CI7
C) - Axon hillock	(D) One of the major intracellular
(D) Axon terminals	(D) One of the major intracellular anions is phosphate
The state of the s	(2) (Conta)

\$

- 12. Which interaction is not formed when protein subunits combine to form a quarternary structure?
  - (A) Disulfide bond formation
  - (B) Hydrogen bonding
  - (C) Hydrophobic interaction
  - (D) van der Waals forces
- 13. Which one of the following statements is not correct?
  - (A) The side-chains of the amino acids cysteine and methionine absorb light at 280 nm
  - (B) Polypeptides are named as derivatives of the C-terminal aminoacyl residue
  - (C) The C, N, O and H atoms of a peptide bonds are coplanar
  - (D) A linear pentapeptide contains four peptide bonds
- 14. Cofactors containing the adenosyl group include all of the following except:
  - (A) NAD
  - (B) NADP
  - (C) FAD
  - (D) FMN
- 15. Identify the amino acid that is the major contributor to the transport of nitrogen destined for excretion as urea:
  - (A) Alanine
  - (B) Glutamine
  - (C) Glycine
  - (D) Lysine

- 16. The group translocation type of transport system:
  - (A) Does not require metabolic energy
  - (B) Involves the transport of two different solute molecules simulta-neously
  - (C) Has been involved in fatty acids
  - (D) Results in the alteration of the substrate molecule during the transport process
- 17. Which one of the following statements concerning amino acids is correct?
  - (A) Alanine is ketogenic
  - (B) Amino acids that are catabolised to acetyl coenzyme A are glucogenic
  - (C) Branched chain amino acids are catabolised primarily in liver
  - (D) Cysteine is essential for individuals consuming a diet severely limited in methionine
- 18. Which one of the lipids contains sialic acid?
  - (A) Cerebrosides
  - (B) Sphingomyelins
  - (C) Gangliosides
  - (D) Phosphatidylinositols
- Sphingomyelins differ from the other sphingolipids in that they are :
  - (A) Not based on a ceramide core
  - (B) Acidic rather than neutral at physiological Ph
  - (C) The only types containing Nacetylneuraminic acid
  - (D) The only types that are phospholipids

- 20. Which of the following antitumor agents acts by impairing de novo Purine synthesis?
  - (A) Acyulovir
  - (B) 5-fluorouracil
  - (C) Methotrexate
  - (D) Allopurinol -
- 21. Which of the following statement about Zero order kinetics of elimination of drugs is true?
  - (A) Constant fraction of drug is eliminated per unit time
  - (B) Clearance remains constant
- (C) Rate of elimination of drug is
  - (D) Most of the drugs are eliminated by zero order kinetics
- 22. Which of the following drug is absolutely contraindicated in a pregnant woman suffering from hypertension?
  - (A) Hydrallazine
  - (B) Methyldopa
  - (C) Amlodipine
  - (D) Enalapril
- 23. Hydrochlorothiazide and Triamterene has opposite effect on urinary potassium excretion. This is which type drug antagonism?
  - (A) Physical
  - (B) Chemical
  - (C) Physiological
  - (D) Receptor

- 24. All of the following are effects of atropineEXCEPT:
  - (A) Decreases trachobroncial secretions
  - (B) Causes contraction of the radial muscle of the iris
  - (C) Abbreviates refractory period of atrioventricular node
  - (D) Decreases gastric acid secretion
- 25. The drug of choice for the treatment of clostridium difficile associated diarrhea is:
  - (A) Ciprofloxacin
  - (B) Clindamycin
  - (C) Metronidazole
  - (D) Oxytetracycline
- 26. Progestin used in oral contraceptive pills that antagonizes effect of aldosterone is:
  - (A) Norgestrel
  - (B) Norethindrone
  - (C) Desogestrel
  - (D) Drosperinone
- 27. Which of the following drug used in osteoporosis stimulates formation of bone?
  - (A) Bisphosphonates
  - (B) Calcitonin
  - (C) Teriparatide
  - (D) Denosumab
- 28. Lubiprostone is used for the treatment of:
  - (A) Constipation
  - (B) Diarrhea
  - (C) Vomiting
  - (D) Peptic Ulcer

- 29. Ketamine is preferred anesthetic for the following EXCEPT:
  - (A) Short operation in asthmatics
  - (B) Hypertensives
  - (C) Hypovolemic shock due to excessive bleeding
  - (D) Dressing of burns
- 30. All of the following are Serotonin Norepinephrine Reuptake Inhibitors (SNRI) except:
  - (A) Venlafaxine
  - (B) Duloxetine
  - (C) Milnacepran
  - (D) Tianeptin
- 31. Immune complex deposition in blood vessels is characteristics of which type of hypersensitivity reaction?

·.j. .

h. .

66 / CA

- (A) Type I
- (B) Type II
- (C) Type III
- (D) Type IV
- - (A) Apoptosis
  - (B) Cloudy swelling
  - (C) Hydropic change
  - (D) Steatosis and the state of the
  - 33. The genetic defect underlying Sickle cell anemia is :
    - (A) Frameshift mutation
    - (B) Gene deletion
    - (C) Point mutation
    - (D) Robertsonian translocation

- 34. Aschoff bodies are the characteristic
  - (A) Bacterial endocarditis
    - (B) Hypertrophic cardiomyopathy
      - (C) Myocardial infarction
      - (D) Rheumatic carditis
  - 35. Cysticercosis results more commonly from ingestion of:
    - (A) Fecal contaminated vegetables
    - (B) Milk without boiling
  - (C) Undercooked beef
    - (D) Undercooked pork
- old girl investigated for anemia: Hb 7.2 g/dl; Hematocrit 26% MCV 62 fl, MCH 19 pg, MCHC 27g/dl, RDW cv 20%: Which of the following clinical diagnosis is best supported by these findings?
  - (A) Beta thalassemia minor
  - (B) Dimorphic anemia
  - (C) Iron deficiency
  - (D) Macrocytic anemia
- 37. Which of the following gastrointestinal tumors demonstrates CD-117 (c-kit) positivity?
  - (A) Adenocarcinoma stomach
  - (B) Carcinoid tumor
  - (C) Gastrointestinal stromal tumor
  - (D) MALT lymphoma
  - 38. Gleason grading is applied in carcinoma of:
    - (A) Breast
    - (B) Kidney
    - (C) Lung
    - (D) Prostate

- 39. Which of the following is best monitored by using alpha fetoprotein?
  - (A) Adenocarcinoma pancreas
  - (B) Hepatocellular carcinoma
  - (C) Seminoma
  - (D) Yolk sac tumor
- 40. Several large cells with 'crumbled tissue paper' like appearance were seen in a bone marrow biopsy of a 3 year old boy with hepatosplenomegaly and failure to thrive. What is the most probable diagnosis?
  - (A) Alpha 1 antitrypsin deficiency
  - (B) Gaucher disease
  - (C) Niemann Pick disease
  - (D) Mycopolysaccharidosis
- 41. Generation time of Escherichia coli is:
  - (A) 20 seconds
  - (B) 20 minutes
  - (C) 20 hours
  - (D) 20 days
  - 42. Which immunoglobulin class is heat labile?
    - (A) IgA
    - (B) IgD
    - (C) IgE
    - (D) IgG
- 43. EAC rosettes are formed by:
  - (A) T-lymphocytes
  - (B) B-lymphocytes
  - (C) Both (A) and (B)
  - (D) None of the above

- 44. The causative agent of Waterhouse-Friderichsen syndrome is:
  - (A) Streptococcus pyogenes
  - (B) Enterococcus
  - (C) Neisseria meningitidis
  - (D) Pseudomonas
- 45. The causative agent of Buruli Ulcer is:
  - (A) Mycobacterium avium
  - (B) Mycobacterium ulcerans
  - (C) Mycobacterium fortuitum
  - (D) Mycobacterium smegmatis
- 46. Haemolytic uraemic syndrome is caused by:
  - (A) Enteropathogenic Escherichia coli
  - (B) Enteroaggregative Escherichia coli
  - (C) Verocytotoxigenic Escherichia coli
  - (D) None of the above
- 47. Milk ring test is useful to identify the following infection/infections:
  - (A) Brucellosis
  - (B) Salmonellosis
  - (C) Tuberculosis
  - (D) Diphtheria
- 48. Treponema pallidum can be cultivated in :
  - (A) Blood agar medium
  - (B) Thayer Martin medium
  - (C) Wilson of Blair medium
  - (D) Rabbit testis

present in :	(B) Acid phosphatase
(A) Influenza virus A	(C) Alkaline phosphatase
(B) Influenza virus B	(D) Estarase
(C) Influenza virus C	55. Cause of death in crush syndrome:
(D) None of the above	(A) Acute renal failure
50. Which of the following is a non-sense	(B) Infection which are a second of the
Codon?	(C) :::Fat embolism: + (A)
(A) UGA	(D) Shock and haemorrhage
(B) GCC	56. Brush burn is:
orno (C), AAG	(A) High velocity electrocution
(D) CAG	(B) Scald
51. In India, a boy below year	(C) Bullet injury of a rest of the Sec
cannot be charged with rape.	(D) Grazed abrasion (A)
Jee 6(A) e 12 years 1 1 a EW 189	• •
(B) 14 years	57. Smokeless gun-powder consists of followings, except:
(C) 21 years	그는 그는 그는 그는 그는 그를 보고 있다. 그는 그는 그를 보고 있다.
(D) No such limit	(A) Nitro cellulose  (B) Nitrobenzene
52. Post-mortem caloricity is seen in	· · · · · · · · · · · · · · · · · · ·
poisoning due to : (A) Cyanide	(C) Nitroglycerine
(A) Cyanide (B) Opium	(D) Nitroguanidine
(C) Arsenic	58. Adduction fracture of Hyold bone
(D) Strychnine	seen in: Andrew Harmond ((i))
53. Which bacteria takes part in	(A) Manual strangulation
Adipocere formation?	(B) Bansdola (B) Bansdola (B)
(A) B proteus	(C) A typical hanging
語 年(B) Staphylococci anby 的.	(D) Smothering
(C) Cl. ruelchi	59. La – Facies sympathique is seen in :
(D) Streptococcus	(A) Hanging
	(B) Cardiac temponade
54. Which enzyme increases after one hour of mechanical injury?	(C) Whip-lash injury
(A) Aminopeptidase	(D) Tonsilar herniation
RA1A/147	$(7) \qquad (Turn over)^{\gamma}$

60. Natural sex offences include all,	66. Nischay kits are used for diagnosis
except : (A) Incest	of:
	(A) Malaria
(B) Rape □ 1 e44 (C) (Adultry = 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1 =	(B) Pregnancy (3) (C) MDR-TB
• •	A STATE OF THE STA
61. Catamite refers to:	67. Monitoring measures: Marky 108
(A) Active agent in sodomy	(A) The continuous changes in
(B) Passive agent in sodomy	program's activities (B) The outcomes and impact of a
(C) Small child acting as passive	program's activities
agent in sodomy	(C) How closely a program kept to
(D) Female as passive agent in sodomy	its budget had (G)
•	(D) How well the program was
62. All are tests for seminal stain, except:	implemented , and to accept
(A) Takayama test	68. Which of the following drug is not
(B) Barberio's test	given in continuation phase of
(C) Florence test	treatment of MDR-TB?
(D) Acid phosphatase test	(A) Levofloxacin
63. Radiological signs of a dead born	(B) Kanamycin
includes all, except:	(D) Ethionamide (D)
(A) Robert's sign	HARWY (A)
(b) Duelshald sign	69. As per ICD classification the code for
Spalding's sign of details (C)	provisional assignment of new disease is :
(D) Mc Ewin's sign	(A) H code (attath yell) (3)
64. Filgree burn is due to:	(B) X code
(A) Lightening and made (eff	(C) D code
(B) Electric shock	(D) U code (A)
(C) Radiation burn	70. When individuals are chosen at
(D) Micro – oven burn	regular intervals (for example every
65. Impotency in female is:	fifth) from the sampling frame, it is a :
(A) Rigidity	(A) Simple random sampling
(B) Frigidity	ளக், <b>(B) . Systematic sampling</b> அட நக
(C) Sterility	(C) Stratified sampling
(D) Nymphomania	(D) Typical case sampling
RA-1A/147 (8	(i) Contdi

- 71. Which of the following measure the approximate magnitude of completed family size?
  - (A) Total fertility rate
  - (B) Gross reproduction rate
  - (C) Net reproduction rate
  - (D) General fertility rate
- 72. Recommended treatment for uncomplicated falciparum malaria in 1<sup>st</sup> trimester pregnancy is:
  - (A) Quinine
  - (B) Chloroquine
  - (C) Artesunate
  - (D) Artesunate plus Sulfadoxin-Pyrimethamine
- 73. Byssinosis is due to inhalation of:
  - (A) Cotton fibre dust
  - (B) Sugarcane dust
  - (C) Mouldy hay
  - (D) Silica dust
- 74. Which of the following is not true regarding rabies?
  - (A) The incubation period in man is usually 1-3 months
  - (B) The causative agent is lyssavirus type-1
  - (C) Post exposure prophylaxis for Cat-III exposure is by vaccine only
  - (D) Cell culture vaccine can be given intradermally.
- 75. Reconstructive surgery in leprosy is an example of:
  - (A) Primary prevention

- (B) Secondary prevention
- (C) Tertiary prevention
- (D) Quaternary prevention
- 76. The number of years of life that could be added by intervention is:
  - (A) HALE
  - (B) DALY
  - (C) QALY
  - (D) DFLE
- 77. All are true regarding case control study, except:
  - (A) Proceeds from effect to cause
  - (B) Starts with disease
  - (C) Involves large no of subjects
  - (D) Yields relatively quick results
- 78. The preferred vaccines for adolescents are all, except;
  - (A) MMR
  - (B) Td
  - (C) HPV
  - (D) Hib
- 79. A series of speeches on a selected subject is called:
  - (A) Seminar
  - (B) Panel discussion
  - (C) Symposium
  - (D) Workshop
- 80. RHIME is a method of survey of:
  - (A) Child birth
- (B) Maternal death
  - (C) IUCD insertion
    - (D) Immunization coverage

81.		- 2	(B) Menetrier's disease
	disease ? (A) Rosacea		(C) Zollinger Ellison syndrome
	(B) Psoriasis		(D) Typhoid
	(C) Lichen planus	87.	The X-ray photon energy range which
	(D) Acne		produces best contrast with iodine
00	• •		<b>is:</b>
82.	Psoriasis does not involve :		(A) 25 – 30 keV
	(A) Skin		(B) 30 - 33 keV
	(B) Nails		(C) 33 keV – 40 keV
	(C) Eyes		(D) 40 keV – 50 keV
	(D) Joints	88.	'Money bag' appearance of heart is
83.	Most common site for primary		seen in :
	chancre is:		(A) Pericardial effusion
	(A) Glans penis		(B) Myocarditis
	(B) Shaft		(C) Ventricular septal defect
	(C) Coronal sulcus (D) Scrotum		(D) Tetralogy of Fallot
		89.	
84.	Glove and stocking sensory loss is a feature of :	оя.	Hepatocellular carcinoma can be treated by:
	(A) Psoriasis		(A) Surgery
	(B) Lepromatous leprosy		(B) Transarterial chemoembolization
	(C) Indeterminate leprosy	1000	(C) Radio frequency ablation
	(D) Vitiligo		(D) Any of these
85.	Epistaxis is a feature of :	90.	Patient's position for a standard
	(A) Lepromatous leprosy		chest radiography is:
	(B) Tuberculoid leprosy		(A) Back facing towards the X-ray
	(C) Indeterminate leprosy		screen
	(D) Neuritic leprosy		(B) Chest facing towards the X-ray
86.	Thickening of gastric folds on barium		screen
	meal may be due to all, EXCEPT.		(C) Right side facing X-ray screen
	(A) Lymphoma		(D) Left side facing X-ray screen

- 91. Weber Furguson Incision stands for:
  - (A) Sub-Mandibular Incision
  - (B) Sub-Mental Incision
  - (C) Total Mandibulectomy Incision
  - (D) Maxillectomy incision
- 92. Snow storm appearance in X-ray film is associated with:
  - (A) Recurrent Parotitis
  - (B) Maxillary Sinusitis
  - (C) Sub-Mandibular Sialoletheasis
  - (D) Osteomyelitis of Mandible
- 93. Frey's Syndrome could be a consequence of:
  - (A) Sub Mandibular Gland Removal
  - (B) Nasal Bone Reduction and Fixation
  - (C) Parotid Surgery
  - (D) Thyroid Gland Surgery
- 94. Most common site for Supernumerary tooth is:
  - (A) Mandibular Incisor
  - (B) Maxillary Central Incisor
  - (C) Maxillary Canine tooth
  - (D) Maxillary Molars
- 95. Sojgrens Syndrome is not characterized by:
  - (A) Dry eyeball
  - (B) Dry mouth
  - (C) Dry skin
  - (D) Enlarged parotid gland

- 96. High SAAG (serum-ascites albumin gradient) is seen in all EXCEPT:
  - (A) Cirrhosis of liver
  - (B) Congestive cardiac failure
  - (C) Chronic renal failure
  - (D) Nephrotic syndrome
- 97. All of the following are present on the ipsilateral side of Lateral Medullary Syndrome EXCEPT:
  - (A) Diplopia
  - (B) Impaired pain sensation
  - (C) Horner syndrome
  - (D) Facial pain
- 98. Which is not a characteristic feature of Pseudotumor cerebri?
  - (A) Headache
  - (B) Dilated ventricles
  - (C) Increased opening pressure during LP
  - (D) Papilledema
- 99. Causes of hemorrhagic Pleural effusion are all EXCEPT:
  - (A) Pulmonary infarction
  - (B) Mesothelioma
  - (C) Bronchial adenoma
  - (D) Tuberculosis
- 100. All of the following are indicated in the immediate post MI period EXCEPT:
  - (A) Calcium Channel Blockers
  - (B) Morphine
  - (C) Enalapril
  - (D) Aspirin

- 101. Necrobiosis lipoidica is seen in :
  - (A) Diabetes insipidus
  - (B) Lyme's disease
  - (C) Diabetes mellitus
  - (D) Simmond's disease
- 102. POEMS syndrome is associated with all EXCEPT:
  - (A) Osteolytic Multiple Myeloma
  - (B) Hypertrichosis
  - (C) Papilledema
  - (D) Amenorrhea
- 103. Faget sign is:
  - (A) Tachycardia with hypertension
  - (B) Bradycardia with hyperthermia
  - (C) Tachycardia with hyperthermia
  - (D) Bradycardia with hypothermia
- 104. Recurrent Meningococcal meningitis occurs in :
  - (A) C1 esterase deficiency
  - (B) C2 deficiency
  - (C) C3 deficiency
  - (D) C5-9 deficiency
- 105. Friedlander Pneumonia refers pneumonia caused by:
  - (A) Klebsiella
  - (B) Pneumococcus
  - (C) H. influenza
  - (D) Staphylococcus
- 106. All are ture regarding Bronchiectasis EXCEPT:
  - (A) Upper lobe involvement is seen in "dry "Bronchiectasis

- (B) Antibiotics may be used during exacerbations
- (C) Mucolytics have proven action in relief of secretions
- (D) HRCT is gold standard for diagnosis
- 107. A 68 year old chronic alcoholic presents with ecchymotic patches in the lower extremities. He also has perifollicular hemorrhages fragmented hairs, splinter hemorrhages in nail beds and multiple red tender swellings in the muscle. What is the likely diagnosis?
  - (A) Vitamin K deficiency
  - (B) Vitamin C deficiency
  - (C) Pyridoxine deficiency
  - (D) Chronic Myelogenous leukemia
- 108. Patient presents with rhabdomyolysis and acute renal failure. What should be done next?
  - (A) Mannitol
  - (B) Forced Alkaline Diuresis
  - (C) Dopamine
  - (D) Hemodialysis
- 109. A 22 year old female presented with fever cough for 6 months. Chest Xray shows mediastinal widening and blood tests revealed increased ACE levels. What is the most probable diagnosis?
  - (A) Sarcoidosis
  - (B) Tuberculosis
  - (C) Churg Strauss syndrome
  - (D) Lymphoma

- 110. A 40 year old man presented with repeated episodes of bronchospasm and hemoptysis. Chest X-ray revealed Perihilar Bronchiectasis. The most likely diagnosis is:
  - (A) Sarcoidosis
  - (B) Idiopathic Pulmonary Fibrosis
  - (C) Extrinsic Allergic Alveolitis
  - (D) Bronchopulmonary Aspergillosis
- 111. Most common cause of embolic stroke is:
  - (A) Non-rheumatic Atrial Fibrillation
  - (B) Carotid Artery Atherosclerosis
  - (C) Paradoxical embolism
  - (D) LV aneurysm
- 112. Which clinical sign is suggestive of elevated pulmonary wedge pressure in Mitral Stenosis?
  - (A) Loud OS
  - (B) Loud S1
  - (C) Mid diastolic murmur
  - (D) Short A2-OS interval
- 113. Sub-valvular Aortic Stenosis is associated with all of the following EXCEPT:
  - (A) Aortic Regurgitation
  - (B) Coarctation of Aorta
  - (C) Tricuspid valve atresia
  - (D) Ventricular Septal Defect

- 114. All are features of Rabies Encephalitis EXCEPT:
  - (A) Tonic spasm of the body
  - (B) Hyper salivation
  - (C) Sound phobia
  - (D) Hypotonic paralysis
- 115. Patient diagnosed with HIV and Tuberculosis. How to start ATT and c-A. R. T?
  - (A) Start ATT first
  - (B) Start c-A. R. T first
  - (C) Start both simultaneously
  - (D) Start c ART only
- 116. Cardiac output (Fick) in a normal individual in L/m2 of body surface area per minute is:
  - (A) 2.5-3.6
  - (B) 3.5-4.6
  - (C) 4.5-5.6
  - (D) 5.5-6.6
- 117. Kala-azar is transmitted to humans by:
  - (A) Anopheles mosquito
  - (B) House fly
  - (C) Sand fly
  - (D) Culex mosquito
- 118. Immunoglobulins are produced by:
  - (A) Tlymphoctyes
  - (B) Blymphocytes
  - (C) Eosinophils
  - (D) Splenic cells

- 119. Trisomy of chrosome 21 causes:
  - (A) Klinefelter syndrome
  - (B) Down's syndrome
  - (C) Edward's syndrome
  - (D) Turner's syndrome
- 120. Causes of drug induced aplastic anaemia include :
  - (A) Chloramphenicol
  - (B) Sulphonamides
  - (C) D-Penicillamine
  - (D) All of the above
- 121. According to National Immunization Schedule, DPT vaccine is given in which schedule:
  - (A) 0, 1, 6 months age
  - (B) 6, 10, 14 weeks with boosters at 16-24 months and 5-6 years age
  - (C) 6, 10, 14 week with booster at 9-12 months of age
  - (D) 0, 1, 6 months with booster at 16-24 months of age
- 122. Simian crease, sandal gap, upslanted palpebral fissure with developmental delay are associated with:
  - (A) Edward syndrome
  - (B) Patau syndrome
  - (C) Down syndrome
  - (D) Ellis-Van Crevald syndrome

- 123. Cause for large for date babies is :
  - (A) Maternal anemia
  - (B) Maternal hypertension
  - (C) Maternal diabetes
  - (D) Maternal smoking
- 124. A mother comes with her 10 year old boy complaining that child's eyes seem less open (i. e. ptosis) during evening. What is the most likely diagnosis?
  - (A) Gullian-Barre syndrome
  - (B) Myasthenia gravis
- (C) Muscular dystrophy
  - (D) Congenital myopathies
- 125. Dandy Walker malformation occurs due to developmental failure of :
  - (A) Floor of 4<sup>th</sup> ventricle
  - (B) Roof of 4<sup>th</sup> ventricle
  - (C) Floor of 3<sup>th</sup> ventricle
  - (D) Roof of 3<sup>th</sup> ventricle
- 126. Hypertrophic pyloric stenosis is more common in :
  - (A) 1<sup>st</sup> born male
  - (B) 1<sup>st</sup> born female
  - (C) Premature males or females
  - (D) Equal in all groups
- 127. Which of the following disease is associated with coronary artery aneurysm?
  - (A) Takasyasu arteritis
  - (B) Kawasaki disease
  - (C) Polyarteritis nodosa
  - (D) Systemic onset JIA

- 128. Most common cause of meningitis in children > 1 year old :
  - (A) Listeria monocytogenes
  - (B) Streptococcus epidermidis
  - (C) Staphylococcal aures
  - (D) Sterptococcus pneumoniae
- 129. Which of the following is not included as a major manifestation under Jones criteria?
  - (A) Carditis
  - (B) Erythema marginatum
  - (C) Fever
  - (D) Subcutaneous nodules
- 130. Haemophilia A is due to deficiency of :
  - (A) Factor VIII
  - (B) Factor IX
  - (C) Factor X
  - (D) Von Willebrand factor
- 131. In cardiogenic shock which is not correct?
  - (A) Cardiac output is low
  - (B) Vascular resistance is low
  - (C) Venous pressure is high
  - (D) Base defect is high
- 132. Shock status of a patient can be determined by dynamic fluid response by giving:
  - (A) 250-500 ml fluid over 50-60 minutes
  - (B) 1000-1500 ml fluid over 50-60 minutes

- (C) 250-500 ml fluid over 50-10 a
- (D) 1000-1500 ml fluid over 5-10 minutes
- 133. Reactionary haemorrhage (within 24 hours of injury) results from all of the following except:
  - (A) Dislodgement of clot
  - (B) Sloughing of wall of vessel
  - (C) Normalisation of blood pressure
  - (D) Vasodilation
- 134. Secondary haemorrhage usually occurs:
  - (A) Within 2 hours of injury
  - (B) Within 24 hours of injury
  - (C) 7-14 days after the injury
  - (D) 6 months after the injury
- 135. ABO system of blood was discovered by:
  - (A) Karl Landsteiner
  - (B) James Blundell
  - (C) Albert Hustin
  - (D) Richard Lower
- 136. Fresh-Forzen Plasma (FFP) shelf life is:
  - (A) 5 years
  - (B) 2 years
  - (C) 5 months
  - (D) 2 months

- 137. Platelets have shelf life of :
  - (A) One day
  - (B) Five days
  - (C) Fifteen days
  - (D) Twenty five days
- 138. Which of the following is not a complication of massive blood transfusion?
  - (A) Hypocalcaemia
  - (B) Hyponatraemia
  - (C) Hyperkalaemia
  - (D) Hypothermia
- 139. The inflammatory phase of wound healing begins immediately after wounding and also lasts:

Sec. 25 (15)

- (A) 2-3 days
- (B) 4-5 days
- (C) 6-7 days
- (D) 8-9 days
- 140. Which of the following is not a common phase of wound healing?
  - (A) Traumatic phase
  - (B) Inflammatory phase
  - (C) Proliferative phase
  - (D) Remodeling phase
- 141. Which of the following is not true for vascular anastomosis?
  - (A) Absorbable suture material should be used
  - (B) Smooth initial suture line is essential

- (C) Knots require multiple throws in order to ensure security
- (D) The suture must pass from within outwards on the down aspect of anastomosis
- 142. Which of the following is not true for Nylon suture?
  - (A) It is a polyamide polymer
  - (B) It loses 15-20% of tensile strength per year
  - (C) It causes moderate to high tissue reaction
  - (D) It degrades slowly at approximately 15-20% per year
- 143. Which of the following is not correct for wound healing by secondary intention?
  - (A) Heals by granulation
  - (B) Heals by contraction
  - (C) Heals by epithelialization
  - (D) Heals by minimal scarring
- 144. Which of the following is not true for would healing by primary intention?
  - (A) Wound edges are opposed
  - (B) There is increased inflammation and proliferation
  - (C) Minimal scar
  - (D) Possible when here is minimal surrounding trauma

- 145. Which of the following is not true for nerve injury?
  - (A) Proximal to would Wallerian degeneration occurs
    - (B) Nerve fibers are attracted to their receptors by neurotropism
    - (C) There is profuse growth of nerve fibres from the cut end
    - (D) Ower growth of nerve fibres with poor approximation may lead for neuroma formation
- 146. Which of the following is not true for tendon injury?
- (A) There is an intrinsic mechanism which consists of vincular blood flow and synovial diffusion
  - (B) There is an extristic mechanism which depends on formation of adhestions between tendon and the tendon shealth
  - (C) Active mobilisation prevents adhesions
  - (D) Should not be splintage
- 147. Which of the following is not true for compartment syndroms?
  - (A) Typically occur is closed lower limb injuries
- (B) Characterised by severe pain
- (C) Distal sensory disturbances
  - (D) Peripheral pulses remain palpable

- 148. Which is the correct combination of pressure sore frequency in descending order?
  - (A) (a) Ischium
- (b) Heal ...
- (c) Occiput
- (B) (a) Ischium

10 ..

gwegi lin v

- (b) Occiput
- (c) Heal
- (C) (a) Heal
- (b) Ischium
- (c) Occiput
- (D) (a) Heal
- (b) Ischium
- (c) Occiput
- 149. Which of the following is not appropriate strategy for keloid treatment?
  - (A) Excision
  - (B) Excision and streoid injection
  - (C) Excision and radiation
  - (D) Intralesional excision
- 150. Which of the following is not true for silk suture?
  - (A) It is derived from raw silk from silk worm
  - (B) It is a monofilament
  - (C) It loses 20% tensile strengh when wet
  - (D) Fibrous encapsulation in body occurs at 2-3 weeks
- 151. Hawkins classification is for:
  - (A) Fracture of body of talus
  - (B) Fracture of neck of talus
  - (C) Fracture of head of talus
    - (D) Fracture of calcaneum

- 152. O' Donoghue triad include all except:
  - (A) Medical Collaterial ligament injury
    - (B) Medical meniscus injury
    - (C) Posterior cruciate ligament injury
    - (D) Anterior cruciate ligament injury
- 153. Altitude of the lower limb in anterior dislocation of hip will be:
  - (A) Flexion, external rotation, adduction
  - (B) Flexion, internal rotation, abduction
  - (C) Flexion, internal rotation, adduction
  - (D) Flexion, external rotation, abduction
- 154. Complications of fracture lateral condyle of humerus include all except:
  - (A) Non-union
  - (B) Cubitus varus deformity
  - (C) Tardy ulnar nerve palsy
  - (D) Cubitus valgus deformity
- 155. "Electric light bulb" appearance on X-ray is characteristic of:
  - (A) Posterior dislocation of shoulder
  - (B) Anterior dislocation of shoulder
  - (C) Inferior dislocation of shoulder
  - (D) All of the above

- 156: Radiological signs of osteoarthritis include all except:
- (A) Narrowing of the joint space
  - (B) Marginal osteophytes
- (C) Subchrondral cyst
- (D) Subchondral osteoporosis
- 157. Winging of scapula is seen in:
  - (A) Spinal accessory nerve injury
  - (B) Supurascapular nerve injury
  - (C) Injuring to long throracic nerve of Bell
  - (D) Axillary nerve injury
- 158. Commonest benign lesion of the bone is:
  - (A) Fibrous dysplasia
- (B) Non-ossifying fibroma
- (C) Osteroid osteoma
  - (D) Osteochondroma
- 159. Simond's test is diagnostic of:
  - (A)' Quadriceps tendon rupture
  - (B) Archilles tendon rupture
  - (C) Cruciate ligament tear
  - (D) Meniscal injury
- 160. Thessaly test is for:
  - (A) Meniscal injury
  - (B) Anterior cruciate ligament tear
  - (C) Posterior cruciate ligament
  - (D) Collateral ligament injury

- 161. The most common etiologic agent of acute laryngotracheobronchitis is:
  - (A) Respiratory syncytial virus
  - (B) Parainfluenza virus
  - (C) Mycoplasma pneumonae
  - (D) H. influenzae
- 162. The goals of endoscopic sinus surgery include all except:
  - (A) Promoting drainage of the sinuses
  - (B) Removing all sinus mucosa
  - (C) Removing osteitic bon
  - (D) Restoring normal mucociliary clearance
- 163. What theoretical plane from medical canthus of the eye to the angle of the mandible divides the facial skeleton into two parts?
  - (A) Ohngren's line
  - (B) Frankford's line
  - (C) Kennedy's line
  - (D) Osguthorpe's line
- 164. Which of the following is not seen in lateral sinus thrombosis?
  - (A) Griesingers sign
  - (B) Positive Tobey Ayer Test
  - (C) Lilly Crowe sign
  - (D) Gradenigo syndrome
- 165. Stankiezicz maneuver during FESS prevents injury to :
  - (A) Orbit
  - (B) Cribriform plate
  - (C) Fovea ethmoidalis
  - (D) Optic nerve

- 166. Angular conjunctivitis is caused by which organisms?
  - (A) Moraxella diplobacillus
  - (B) Pneumococci
  - (C) Gonococci
  - (D) Adenovirus
- 167. Ptosis in Horner's syndrome is due to paralysis of :
  - (A) Riolan's muscle
  - (B) Muller's muscle
  - (C) Levator palpebral muscle
  - (D) Orbicularis oculi muscle: \ r
- 168. Amauroptic cat's eye reflex is seen in:
  - (A) Papilloedema
  - (B) Retinoblastoma
  - (C) Papillitis
- Agency (D) a Retinitis control and the additional to
- 169. The best treatment for amblyopia is:

 $\langle , i \rangle$ 

- (A) Orthoptic exercises
- (B) Occlusion therapy
- (C) Surgery
- (D) Spectacles after age 10 years
- 170. A 3 months old infant with watering lacrimal sac on pressing causes regurgitation of mucopus material. What is the appropriate treatment?
  - (A) Dacryocystorhinostomy
  - (B) Probing
  - (C) Probing with syringing
  - (D) Massage with antibiotics upto age of 6 months

- 171. Preconceptinal intake of which of the following results in decrease in incidence of neural tube defect?
  - (A) Vit. V
  - (B) Folate
  - (C) Vit. E
  - (D) Vit. C
- 172. Mirena is:
  - (A) Progesterone IUCD
  - (B) Hormonal implant
  - (C) Anti Progesterone
  - (D) Used for MTP
- 173. Drug contraindicated in patient with rheumatic heart disease in PPH is:
  - (A) Oxytocin infusion
  - (B) Methylergometrine
  - (C) Misoprostol
  - (D) Carboprost
- 174. Polyhydramnios is not associated with:
  - (A) Bilateral renal agenesis
  - (B) Aneucephaly
  - (C) Open Spina bifida
  - (D) Tracheooesophageal fistula
- 175. Cervical smear fixation is done by:
  - (A) Ethyl alcohol
  - (B) Acetone
  - (C) Xyline
  - (D) Formalin
- 176. The most common site for tubal ligation in female sterillisation should be:
  - (A) Isthmus

- (B) Ampullary
- (C) Comual
- (D) Fimbrial
- 177. During pregnancy HIV transmission occurs mostly during :
  - (A) 1st Trimester
  - (B) 2nd Trimester
  - (C) 3rd Trimester
  - (D) During labour
- 178. Which of the following is **not** the physiological change in pregnancy?
  - (A) Increase in intravascular volume
  - (B) Increase in cardiac output
  - (C) Increase in stroke volume
    - (D) Increase in peripheral vascular resistance
- 179. In the Manning scoring system of biophysical profile for fetal monitoring, which parameter is **not** included?
  - (A) Fetal tone
  - (B) Fetal gross body movement
  - (C) Oxytocin challenge test
  - (D) Non-stress test
- 180. The shortest diameter in fetal head is :
  - (A) Submento-bregmatic
  - (B) Suboccipito frontal (3)
  - (C) Occipito frontal
  - (D) Mentovertical

- 181. Cause chronic pelvic pain in endometriosis is :
  - (A) Fixity of uterus
  - (B) Prostagladin E2(PGE2) in peritoneal fluid
  - (C) Formation of large chcolate cyst
  - (D) Nodular thickening of uterosacral ligament
- 182. Use of oral contraceptive pills decreases the incidence of all of the following except:
  - (A) Ectopic pregnancy
  - (B) Hepatic adenoma
  - (C) Ovarian malignancy
  - (D) Pelvic inflammatory disease
- 183. When in labour, a diagnosis of occipito posterior presentation is made, the most appropriate management in this case would be:
  - (A) Emergency Caesarean Section
  - (B) Watch for progress of labour
  - (C) Early rupture of membranes
  - (D) Start oxytocin drip
- 184. Blood in urine in a patient in labour for 2 days, most appropriate diagnosis is:
  - (A) Impending scar rupture
  - (B) Uretheral injury
  - (C) Obstructed labour
  - (D) Cytisis

- 185. Amniotic fluid contains acetyl cholinesterase enzyme. What is the diagnosis?
  - (A) Open spina bifida
  - (B) Gastroschisis
  - (C) Omphalocele
  - (D) Osteogenesis imperfect
- 186. Following should be taken care in Rh isoimmunised mother during delivery:
  - (A) Prophylactic ergometrine to be given after delivery
  - (B) Manual Removal of Placenta (MRP) to be done
  - (C) Cord clamping should be delayed to reduce incidence of fetal anemia
  - (D) Cord clamping should be done as soon as possible after delivery
- in baby born to Insulin Dependent Diabetes Mellitus (DDM) mother is:
  - (A) Neural tube defect
  - (B) Cardiovascular anomalies
  - (C) GIT anomalies
  - (D) Pulmonary anomalies
- 188. With which of the following types of viral hepatitis infection in pregnancy, the maternal mortality is highest?
  - (A) Hepatitis A
  - (B) Hepatitis B
  - (C) Hepatitis C
  - (D) Hepatitis E

- 189. All of the following are known risk factor for development of endometrical carcinoma except:
  - (A) Early Menopause
  - (B) Corpus cancer syndrome
  - (C) Use of HRT
  - (D) Tamoxifen
- 190. Ca Cerix, lymphatic spread involve which of the lymph node first:
  - (A) Obturator
  - (B) Common iliac
  - (C) Paraaortic
  - (D) Inguinal
- 191. False statement regarding intravenous anaesthetics is:
  - (A) Dexmedetomidine is nonselective α agonist
  - (B) Droperidol is not used now-adays as it causes prolonged QT interval
  - (C) Ketamine is a phencyclidine derivative
  - (D) Ketamine is primarily an antagonist of N-methyl-D-aspartate receptor

- 192. Which iv anaesthetic is represented by the above chemical structure?
  - (A) Dexmedetomidine

- (B) Ketamine
- (C) Propofol
- (D) Thiopentone
- 193. According to metabolism and plasma clearance, Lorazepam is classified as:
  - (A) Short-acting benzodiazepine
  - (B) Intermediate-acting benzodiazepine
  - (C) Long-acting benzodiazepine
  - (D) Ultrashort-acting benzodiazepine
- 194. Naturally occurring opioid compound is:
  - (A) Heroin
  - (B) Hydromorphone
  - (C) Buprenorphine
    - (D) Morphine
- 195. Which opioid has least plasma protein binding?
  - (A) Fentnyl
  - (B) Alfentanil
  - (C) Morphine
  - (D) Sufentanil
- 196. Bleuler's four As consist of all except:
  - (A) Ambivalence
  - (B) Automatism
  - (C) Affect disturbance
  - (D) Association disturbance

- 197. La belle indifference is a feature of :
  - (A) Borderline personality
  - (B) Schizophrenia
  - (C) Conversion disorder
  - (D) Mania
- 198. False sensory perceptin occurring in the absence of any relevant sensory stimulatio of the sensory modality involved is known as:
  - (A) Delusion
  - (B) Illusion
  - (C) Imagination
  - (D) Hallucination
- 199. Which of the following statement regarding sleep is false?
  - (A) Sleep is fundamental behaviour of all animal species

- (B) Sleep spindles (12 to 14cps) and K complexes are features of stage-1 sleep
- (C) Primary pacemaker for generating circadian rhythms lies in the supreachiasmatic nucleus (SCN) of the hypothalamus
- (D) Early morning awaking is a feature of major depressive disorder
- 200. Which of the following structure is damaged in alcoholic Korsakoff's psychosis?
  - (A) Frontal cortex
  - (B) Mammilary body and dorsomedial nucleus of thalamus
  - (C) Internal capsule
  - (D) Caudate nucleus

\*\*\*\*\*\*\*\*\*\*\*

- Half By J. Company of SPACE FOR ROUGH WORK reprovides when a J. All P.
  - , espantor in the 168 in the

- المعهد الفكالين يهدا فأداد بدائدات
- 3. 加速点 12. gr 新州热州东州市 15. 新市 allowings that he were the sit
  - - 1 × 1 3 × 1 × 1 × 2)
- While I have been and the And the Supplier of the Walterson
  - 医异物氏畸形 医多门腺
  - Lagrangia (1997) and

- - إنبأد المأمانيين بعثار بالدرا
- remarks on the Co
  - (a) (a) (b) (c)
- ta y religio del propio il recigi processor evide il 1989 30, 17,7% देखक से हे अपने एक जिल्हा के अपने in Americanian to be experiented - กระการของสาด โดยใหญ่ใ
  - John W. A.
  - 一百字版 新二月發
  - ार्थामसम्बद्धाः । ५७३
  - as businesses (A)
- ta, applica adapter. In a define set ji Sirada, ai en ista increakigoa
- an more of the propositional according (20) - Hannager kuntung, Mithia